



TRIP

2022 PRODUCTS




EVOLUTION



A small innovation in the system, sometimes creates big change – like riders switching from 27.5 to 29-inch wheels which certainly raised the bar during the 2019 season. All of the sudden, good brakes were not good enough. No stone was left untouched as TRP R&D teams traveled to team camps and World Cup races with new iterations of DH-R brakes for riders to test during the 2019 race season. At the same time, a new disc brake performance test machine was installed at Tektro Headquarters in Changhua, Taiwan to run more advanced tests around the clock. After seven months of intensive work between R&D and our race teams, the result was a completely re-designed DH-R: the new DH-R EVO. Next to the top-of-the-line DH-R EVO model, many of the EVO technologies will trickle down to complete a re-designed TRP brake model line.

EVO





CONTENTS

EVOlution	2
Mountain Drivetrain / Brakes	6
Road / Road Disc / Gravel / CX	20
TT / TRI	38
Pedelec / Cargo	46
City / Trekking	50
Parts & Accessories	54
Partners	68





MOUNTAIN

TR12

ENDURO / TRAIL

RD-M850 / SL-M850R



DERAILLEUR FEATURES

- Hall Lock
- G-Spec Ratchet Clutch
- G-Spec finishing touches:
- Carbon fiber cage & Upper link
- Extra wide parallelogram pivot
- Sealed cartridge bearings pulleys

tr12



CASSETTE COMPATIBILITY

- Any 12-speed, 10t to 50t cassette from leading makers

SHIFTER FEATURES

- Shift levers designed and located for optimum performance by Aaron Gwin
- New linear actuation for improved ergonomics and consistent thumb contact
- Enhanced grip & tactile feel built into lever paddles: embossed grooves on advance and release lever
- Carbon fiber upper housing & advance lever position with brake lever
- Ball bearing equipped
- 12 speed
- Tool-free straight lace cable changes
- Rider adjustable home position of lower lever with a 40-degree range

SYSTEM WEIGHT: 392g / wheel

CHAIN COMPATIBILITY

- Any 12-speed chain from leading makers

DH7

DH / RACE

RD-M860 / SL-M860R



DERAILLEUR FEATURES

- Hall Lock
- G-Spec Ratchet Clutch
- G-Spec finishing touches:
- Carbon fiber cage & aluminum upper link
- Extra wide parallelogram pivot
- Sealed cartridge bearings pulleys



CASSETTE COMPATIBILITY

- Any 7-speed, max 25t cassette from leading makers

SHIFTER FEATURES

- Shift levers designed and located for optimum performance by Aaron Gwin
- Enhanced grip & tactile feel built into lever paddles: embossed grooves on advance and release lever
- Carbon fiber upper housing & advance lever position with brake lever
- Ball bearing equipped
- 7 speed
- Tool-free straight lace cable changes
- Rider adjustable home position of lower lever with a 40-degree range

SYSTEM WEIGHT: 392g / wheel

CHAIN COMPATIBILITY

- Any 11-speed chain from leading makers

DH-R EVO

DH / RACE

HD-M846



LEVER FEATURES

- Ergonomic lever blade
- 9mm internal brake lever piston
- Index reach adjuster
- I-Spec II compatible
- I-Spec EV adapter option
- TRP and MMX shifter adapter available
- High polished gold or grey finish



CALIPER FEATURES

- Optimized hydraulic flow
- Lightweight hybrid pistons
- 5mm brake hose
- Made for 2.3mm thick rotors
- Top loading pad design
- New resin brake pad
- Banjo hose connection
- Newly formulated mineral oil
- CNC-machined and labeled adapters
- High polished gold or grey finish

SYSTEM WEIGHT: 310g / wheel

ROTOR COMPATIBILITY

- Six bolt: **RS01E**
- Centerlock: **RC01E**

PAD COMPATIBILITY

- Standard resin: **P-Q12RS**
- Semi-metallic: **Q20.11**
- Sintered: **P-Q15TS**

TRAIL EVO

ENDURO / TRAIL

HD-M843



LEVER FEATURES

- Ergonomic lever blade
- 10mm internal brake lever piston
- Index reach adjuster
- I-Spec II compatible
- I-Spec EV adapter option
- TRP and MMX shifter adapter available
- Gloss black finish



CALIPER FEATURES

- Optimized hydraulic flow
- Lightweight hybrid pistons
- 5mm brake hose
- Made for 2.3mm thick rotors
- Top loading pad design
- New resin brake pad
- Banjo hose connection
- Newly formulated mineral oil
- CNC-machined and labeled adapters
- Gloss black finish

SYSTEM WEIGHT: 307g / wheel

ROTOR COMPATIBILITY

- Six bolt: **RS01E**
- Centerlock: **RC01E**

PAD COMPATIBILITY

- Standard resin: **P-Q12RS**
- Semi-metallic: **Q20.11**
- Sintered: **P-Q15TS**

SLATE EVO

ENDURO / TRAIL

HD-M807



LEVER FEATURES

- Ergonomic lever blade
- 10mm internal brake lever piston
- Reach adjuster
- I-Spec II compatible
- I-Spec EV adapter option
- TRP and MMX shifter adapter available
- Matte black finish



CALIPER FEATURES

- Optimized hydraulic flow
- Stainless steel pistons
- 5mm brake hose
- Made for 2.3mm thick rotors
- Top loading pad design
- New resin brake pad
- Banjo hose connection
- Newly formulated mineral oil
- CNC-machined and labeled adapters
- Matte black finish

SYSTEM WEIGHT: 315g / wheel

ROTOR COMPATIBILITY

- Six bolt: **RS01E**
- Centerlock: **RC01E**

PAD COMPATIBILITY

- Standard resin: **P-Q12RS**
- Semi-metallic: **Q20.11**

SPYKE

TRAIL / XC / FATBIKE

MD-M600



LEVER FEATURES

- Integrated Barrel Adj. on Lever
- Aluminum Lever Blade

CALIPER FEATURES

- Dual Piston Actuation
- Independent Pad Adjustments
- Integrated Barrel Adj. on Caliper
- Dust Cover and Boot

ROTOR COMPATIBILITY

- Six bolt: **TR-29, TR-33**
- Centerlock: **TR-25**

SYSTEM WEIGHT: 78g / per lever
170g / per caliper

PAD COMPATIBILITY

- Standard resin: **SP10.11**
- Performance resin: **P-A12RS**
- Sintered: **A10TS**

OPTIONS

CABLE & HOUSING KIT





**ROAD / ROAD DISC
GRAVEL / CX**

HYLEX RS

ENDURANCE ROAD / GRAVEL / CX

HYLEX PM HD - C800 / HYLEX RS PM HD - C801 /

HYLEX FM HD - C810 / HYLEX RS FM HD - C811



LEVER FEATURES

- Integrated Master Cylinder
- Drilled Lever Blade (RS Version)
- S Black Lever w/ Black Caliper and Black Hoods, RS Silver Lever w/ Silver Caliper and Gum Hoods

CALIPER FEATURES

- Forged One Piece Caliper
- Heat-Isolating Hybrid Pistons
- Top Loading Pads
- Post Mount or Flat Mount
- 11mm Quick Connect Coupler

ROTOR COMPATIBILITY

- Six bolt: **TR-29, TR-33**
- Centerlock: **TR-25**

SYSTEM WEIGHT: 352g / wheel

PAD COMPATIBILITY

- Performance resin (Post Mount): **P-A12RS**
- Standard resin (Post Mount): **SP10.11**
- Performance resin (Flat Mount): **P-F12RS**
- Standard resin (Flat Mount): **F10RS**

OPTIONS

DI2 KIT, HYLEX REPLACEMENT HOODS

HY/RD

ROAD / CX DISC

HY/RD FM HD - C711 / HY/RD C FM HD - C711C /

HY/RD PM HD - C705 / HY/RD C PM HD - C705C





CALIPER FEATURES

- Open Hydraulic System
- Integrated Master Cylinder
- Heat Isolating Hybrid Pistons
- Mechanical/Cable Actuation
- Post Mount Caliper Optional

ROTOR COMPATIBILITY

- Six bolt: **TR-29, TR-33**
- Centerlock: **TR-25**

**SYSTEM WEIGHT: 250g / wheel (PM)
224g / wheel (FM)**

PAD COMPATIBILITY

- Standard resin: **P-A12RS**
- Semi-metallic: **SP10.11**
- Sintered: **A10TS**

OPTIONS

CABLE & HOUSING KIT

SPYRE

ROAD / CX DISC

SPYRE FM MD - C610 / SPYRE SL C FM MD - C610 SLC /
SPYRE C FM MD - C610C / SPYRE PM MD - C605 /
SPYRE SL C PM MD - C605 SLC / SPYRE C PM MD - C605C





CALIPER FEATURES

- SLC: Carbon Actuation Arm
C: Sand-Blasted Black Finished
- Dual Piston Actuation
- Independent Pad Adjustments
- Integrated Cable Barrel Adjuster
- Dust Cover and Boot
- Flat Mount Caliper Optional

**SYSTEM WEIGHT: 146g / wheel (SLC)
154g / wheel (Spyre)**

ROTOR COMPATIBILITY

- Six bolt: **TR-29, TR-33**
- Centerlock: **TR-25**

PAD COMPATIBILITY

- Standard resin: **SP10.11**
- Performance resin: **P-A12RS**
- Sintered: **A10TS**

OPTIONS

CABLE & HOUSING KIT

RRL

ENDURANCE ROAD / GRAVEL / CX





LEVER FEATURES

- Available with gum or black hoods
- Pull ratio compatible with Spyre and road/cyclocross rim brakes
- Sold as a set (left and right)
- Available in UD Carbon w/ Black Hoods, Anodized Black or Anthracite w/ Black Hoods, Drilled "SR" Lever w/ Black or Gum Hoods



SYSTEM WEIGHT: 280g / pair

CALIPER COMPATIBILITY

- Any cable actuated caliper

T980

DIRECT MOUNT ROAD



CALIPER FEATURES

- Direct Mount mechanical rim brake designed to be mounted on the fork or seatstays
- CNC Alloy Brake Arms
- Inplace CNC Cartidge Pad Holders
- Brake Centering Adjustment
- Fits rim widths 21-28mm

SYSTEM WEIGHT: 171g / wheel

PAD COMPATIBILITY

TRP Alloy Brake Pads, TRP Carbon Brake Pads

OPTIONS

CABLE & HOUSING KIT

T851

DIRECT MOUNT SIDE PULL ROAD



CALIPER FEATURES

- Forged Aluminum Brake Arms
- Independent Pad Adjustments
- Side Pull Cable Routing
- Inplace Road CNC Cartridge Pad Holders
- Aerodynamic Front Cover
- Independent Spring Adjustment
- Available in High Polish Grey

SYSTEM WEIGHT: 176g / wheel

PAD COMPATIBILITY

TRP Alloy Brake Pads, TRP Carbon Brake Pads

OPTIONS

CABLE & HOUSING KIT

R980

ROAD CALIPER



CALIPER FEATURES

- Forged Alloy Arms
- Cam Style Quick Release
- Stainless Steel Hardware
- Inplace M Adjustable Cartridge Pad Holders
- Available in Black

SYSTEM WEIGHT: 177g / wheel

PAD COMPATIBILITY

TRP Alloy Brake Pads, TRP Carbon Brake Pads

OPTIONS

CABLE & HOUSING KIT

RG957

ROAD CALIPER





CALIPER FEATURES

- Forged Alloy Arms
- Cam Style Quick Release
- Stainless Steel Hardware
- 47-59mm Long Reach
- Inplace Road Adjustable Cartridge Pad Holders
- Available in Matte Black, Matte Grey or Polished Silver



SYSTEM WEIGHT: 167g / wheel

PAD COMPATIBILITY

TRP Alloy Brake Pads, TRP Carbon Brake Pads

OPTIONS

CABLE & HOUSING KIT



A close-up photograph of a cyclist in a black and red jersey riding a road bike. The cyclist's hands are on the handlebars, and the front wheel is visible. A semi-transparent blue rectangle is overlaid on the left side of the image, and a solid red rectangle is on the right. The text "TT / TRI" is written in white on the red background.

TT / TRI

HD T910/T912

TT HYDRAULIC DISC

HD-T910 (FOR HB OD 22-24MM)

HD-T912 (FOR HB OD 24-25MM)





LEVER FEATURES

- Carbon Fiber Lever Blade
- Forged Aluminum Lever Body
- Blip or Di2 Shift Inserts
- Replaceable Grip
- Forged Flat Mount Caliper

SYSTEM WEIGHT: 390g / wheel

ROTOR COMPATIBILITY

- Six bolt: **TR-29, TR-33**
- Centerlock: **TR-25**

CALIPER COMPATIBILITY

- Standard resin: **F10RS**
- Performance resin: **P-F12RS**

OPTIONS

DI2 KIT, E-TAP BLIPS KIT

TT LVR

AERO BRAKE LEVER



LEVER FEATURES

- Carbon Composite Lever Blade
- Ergonomic Lever Shape
- Spring-Loaded Quick Release
- Compatible with V--brakes and Direct Mount Calipers
- Available in UD Carbon

SYSTEM WEIGHT: 162g / set

BRAKE COMPATIBILITY

- All cable actuated

OPTIONS

CABLE & HOUSING KIT

RL970

AERO BRAKE LEVER



LEVER FEATURES

- Carbon Fiber Lever Blade
- Aluminum Lever Body
- Ergonomic Lever Shape
- Available in UD Carbon
- Options: DiscConnect Cable and Housing Kit

SYSTEM WEIGHT: 150g / set

BRAKE COMPATIBILITY

- All cable actuated

OPTIONS

CABLE & HOUSING KIT



A man wearing a light blue helmet and a grey and black checkered jacket is riding a red and black electric cargo bike on a paved road. The bike has a large black motor on the rear wheel and a black cargo rack on the front. The background is a clear blue sky and a green field.

PEDELEC / CARGO

C2.3

PEDELEC / CARGO

HD-EU835

HD-EU832



LEVER FEATURES

- Ergonomic 3 or 4 finger lever blade
- 10mm internal brake lever piston
- Reach adjust
- ON/OFF switch (HD-EU835)
- Matte black finish

CALIPER FEATURES

- Optimized hydraulic flow
- Lightweight hybrid pistons
- 5mm brake hose
- Made for 2.3mm thick rotors
- Top loading pad design
- Banjo hose connection
- Newly formulated mineral oil
- CNC-machined and labeled adapters
- Matte blackfinish

ROTOR COMPATIBILITY

- Six bolt: **RS01E**
- Centerlock: **RC01E**

PAD COMPATIBILITY

- Standard resin: **Q20.11**
- Performance metallic: **P-Q12RS**
- Sintered: **P-Q15TS**





CITY / TREKKING

C1.8

CITY / TREKKING

HD-EU818

HD-EU817



HD-EU817



HD-EU818

LEVER FEATURES

- Ergonomic 3 finger lever blade
- 10mm internal brake lever piston
- Reach adjust
- Matte black finish

CALIPER FEATURES

- 5mm brake hose
- Made for 1.8mm thick rotors
- Top loading pad design
- Flat mount and post mount options
- Newly formulated mineral oil
- CNC-machined and labeled adapters
- Matte black finish

ROTOR COMPATIBILITY

- Six bolt: **RS02M**
- Centerlock: **TR25**

PAD COMPATIBILITY

- Performance resin (HD-EU817): **P-A12RS**
- Performance resin (HD-EU818): **P-F12RS**
- Standard resin (HD-EU817): **SP10.11**
- Standard resin (HD-EU818): **F10RS**





PARTS & ACCESSORIES

ROTORS



RS01E SERIES

2.3mm THICKNESS 1-PIECE ROTOR, HIGH HEAT DISPERSION AND TOLERANCE, STAINLESS STEEL WITH 6 UCP BLACK STEEL BOLTS
AVAILABLE IN 180 / 203 / 220 / 223mm DIAMETERS



RC01E SERIES

2.3mm THICKNESS 2-PIECE ROTOR, HIGH HEAT DISPERSION AND TOLERANCE, STAINLESS STEEL, CENTERLOCK (LOCKRING SOLD SEPARATELY)
AVAILABLE IN 160 / 180 / 203mm DIAMETERS



TR42 SERIES

2.3mm THICKNESS 2-PIECE ROTOR, HIGH HEAT DISPERSION AND TOLERANCE, STAINLESS STEEL, CNC MACHINED CARRIER, 6-BOLT WITH STAINLESS STEEL HARDWARE
AVAILABLE IN 180 / 203mm DIAMETERS




RS02M SERIES

1.8mm THICKNESS 1-PIECE ROTOR, HIGH HEAT DISPERSION AND TOLERANCE, STAINLESS STEEL WITH 6 UCP BLACK STEEL BOLTS
AVAILABLE IN 140 / 160 / 180 / 203mm DIAMETERS



TR29 SERIES

1.8mm THICKNESS 1-PIECE LASER GROOVED ROTOR, STAINLESS STEEL
WITH 6 UCP BLACK STEEL BOLTS
AVAILABLE IN 140 / 160mm DIAMETERS



TR25 SERIES

1.8mm THICKNESS 2-PIECE ROTOR, HIGH HEAT DISPERSION AND TOLERANCE, LASER GROOVED STAINLESS STEEL, CENTERLOCK (LOCKRING SOLD SEPARATELY)
AVAILABLE IN 140 / 160 / 180 / 203mm DIAMETERS




TR33 SERIES

1.8mm THICKNESS 2-PIECE ROTOR, HIGH HEAT DISPERSION AND TOLERANCE, STAINLESS STEEL, CNC MACHINED CARRIER, 6-BOLT
WITH STAINLESS STEEL HARDWARE
AVAILABLE IN 140/160 / 180 / 203mm DIAMETERS

COMPARE ROTORS

MODEL NO.	MOUNTING	ALLOY CENTER	THICKNESS	CNC FINISHED	HARDWARE	SIZE
TR25	CENTERLOCK	WITH	1.8MM	W/O	NONE	140/160/180/203
TR29	SIX BOLTS	W/O	1.8MM	W/O	UCP BLACK	140/160
TR33	SIX BOLTS	WITH	1.8MM	WITH	STAINLESS	140/160/180/203
TR42	SIX BOLTS	WITH	2.3MM	WITH	STAINLESS	180/203
RS02M	SIX BOLTS	W/O	1.8MM	W/O	UCP BLACK	140/160/180/203
RS01E	SIX BOLTS	W/O	2.3MM	W/O	UCP BLACK	180/203/220/223
RC01E	CENTERLOCK	WITH	2.3MM	W/O	NONE	160/180/203



ADAPTERS



A1

A2

B3

B4

A5

I4

A8

A9

A10

P17

P20

P23

P40

P43

I.S. TO POST MOUNT ADAPTERS

POST TO POST MOUNT ADAPTERS



FF1 ADAPTER

FLAT MOUNT TO POST MOUNT
140 FRONT ADAPTER,
INCLUDES 2-M5X17

FF2 ADAPTER

FLAT MOUNT TO POST MOUNT
160 FRONT ADAPTER,
INCLUDES 2-M5X17

FR1 ADAPTER

FLAT MOUNT TO POST MOUNT
140 REAR ADAPTER

FR2 ADAPTER

FLAT MOUNT TO POST MOUNT
160 REAR ADAPTER

F5 ADAPTER

FLAT MOUNT TO FLAT MOUNT
FRONT
140 OR 160 REVERSABLE,
INCLUDES
2-M5X13 AND 2-M5X14

F6 ADAPTER

FLAT MOUNT TO FLAT MOUNT
REAR 160,
INCLUDES 2-M5X13

ADAPTER INSTRUCTION CHART

NOTE = F : STANDARD FRONT FORK / R : STANDARD REAR FRAME / - : NOT AVAILABLE

USE SERIES OF DISC BRAKE	I.S.		
ROTOR SIZE	F	R	20MM
ø 140MM	A1	A2	-
ø 160MM	A2	B3	A8
ø 180MM	B3	B4	A9

	ADAPT TO 140	ADAPT TO 160	ADAPT TO 180	AADAPT TO 203	ADAPT TO 220	ADAPT TO 223
PM140	-	P20	P40	-	-	-
PM160	-	-	P20	P43	-	-
PM180	-	-	-	P23	P40	-
PM200	-	-	-	-	P20	P23
PM203	-	-	-	-	P17	P20

LOCK RINGS & SPACERS



ROTOR LOCK RING SP-TR80

FOR 12mm THRU AXLE HUBS



ROTOR LOCK RING SP-TR85

FOR 15 and 20mm THRU AXLE HUBS



SPACER 0.5MM

6 BOLT ROTOR ALIGNMENT
SPACER 0.5MM



SPACER 1.0MM


6 BOLT ROTOR ALIGNMENT
SPACER 1.0MM

PADS

PERFORMANCE RESIN



MODEL NO. P-Q12RS



MODEL NO. P-A12RS



MODEL NO. P-F12RS

SEMI-METALLIC



MODEL NO. Q20.11



MODEL NO. SP10.11




MODEL NO. F10RS

SINTERED



MODEL NO. P-Q15TS



MODEL NO. A10TS



MODEL NO. F10TS



MODEL NO. P727

CARBON RIM PADS

HIGH PERFORMANCE ROAD AND CYCLOCROSS PADS,
CARBON RIM COMPOUND



MODEL NO. P728

ALLOY RIM BRAKE PADS


HIGH PERFORMANCE ROAD AND CYCLOCROSS PADS,
BLACK RED LETTERS

SHIFT ADAPTERS



DI2 ADAPTER KIT

FOR TT DISC RIGHT & LEFT HAND
COMPATIBLE WITH SW-R600 and SW-R9150



E-TAP BLIPS ADAPTER KIT

FOR TT DISC RIGHT & LEFT HAND




HD4.0 ADAPTER KIT

FOR I-SPEC EV SHIFTER MOUNT



HD4.1 ADAPTER KIT


FOR I-SPEC EV SHIFTER MOUNT



HD3.7 ADAPTER KIT

FOR MATCHMAKER SHIFTER MOUNT
(LEFT AND RIGHT HAND)

SERVICE PARTS



DISC-CONNECT ROAD
DISC-CONNECT ROAD CABLE
AND LINEAR STRAND HOUSING KIT



SPYRE/SPYKE COVER
SPYRE/SPYKE DIRT COVER
AND ACCORDIAN CABLE BOOT

HOODS



HYLEX HOOD
REPLACEMENT HOODS FOR HYLEX



HYLEX Di2 KIT RH
HYLEX Di2 ADAPTER KIT,
REPLACEMENT HOODS FOR HYLEX WITH Di2 CUTOUT,
RIGHT & LEFT HAND

BLEED KITS



TRP 2000MM BLACK HOSE KIT

2000MM REPLACEMENT HOSE KIT FOR G-SPEC QUADIEM/
QUADIEM, G-SPEC SLATE/
SLATE HYLEX FM/PM, HD T910. BLACK



HYDRAULIC HOSE COUPLER

HYDRAULIC HOSE COUPLER
AVAILABLE FOR 5.0 and 5.5mm HOSES



MINERAL OIL

AVAILABLE IN 50cc and 1L SIZES



ADVANCED BLEED KIT



BASIC BLEED KIT



HOSE CUTTER & BARB PRESS



The image features two mountain bikers in the upper half, smiling and looking towards the camera. They are wearing helmets and cycling jerseys; the one on the right has a 'RACEFACE' jersey. The lower half of the image shows the front wheels and forks of several mountain bikes, with brands like 'FOX' and 'MAXX' visible. A large, semi-transparent blue rectangle is overlaid on the middle of the image, and a solid red rectangle is on the right side. The word 'PARTNERS' is written in large, white, bold, sans-serif capital letters across the blue and red areas.

PARTNERS

AUSTRALIA

BICYCLE PARTS WHOLESALÉ

Tel: +61 3 9702 9044

E-mail: sales@bicyclepartswholesale.com.au

Website: www.bicyclepartswholesale.com.au

BENELUX

CODAGEX

Tel: 32 (0)14347474

E-mail: info@codagex.be

Website: www.codagex.com

BUZAGLO B.V.

Tel: +31 (0) 36 52 10 100

E-mail: info@buzaglo.nl

Website: www.buzaglo.nl

CANADA

CYCLES LAMBERT INC

Tel: 1-855-526-2378 (Toll-Free)

Tel: 418-835-1685 (Québec)

E-mail: info@cycleslambert.com

Website: www.cycleslambert.com

LIVE TO PLAY SPORTS

West Tel: 1-604-552-2930

East Tel: 1-416-747-1122

E-mail: AftermarketDivision@livetoplay-sports.com

Website: www.norco.com

CHILE

BIKE PLANET CHILE

Tel: +56992261093

E-mail: ventas@bikeplanet.cl

Website: www.bikeplanet.cl

CZECH REPUBLIC

UNIVERSE AGENCY SPOL. S.R.O.

Tel: 224 990 777

E-mail: petr.fiala@author.cz

Website: www.uniag.biz

FRANCE

TRIBE SPORT

TEL: +33 4 94541750

E-mail: juju@tribesportgroup.com

Website: www.tribesportgroup.com

GERMANY

E. WIENER BIKE PARTS

TEL: +49 (0)9721 / 650-10

Website: www.bike-parts.de

MERIDA & CENTURION GERMANY GMBH

Tel: 07159 9459300

E-mail: vertrieb@merida-centurion.com

Website: www.centurion.de

HARTJE

TEL: +49 (0)4251 / 811-20

E-mail: info@hartje.de

Website: www.hartje.de

ITALY

B.I.S. SRL

Tel: +39 0322 889811

E-mail: bis@bissrl.it

Website: www.bissrl.it

JAPAN

ASAHI CO., LTD.

TEL: 0120-177-319

E-mail: cs@akiworld.co.jp

Website: www.cb-asahi.jp

MEGA GREEN STAR

Tel: +886-955-679-244(TW)

E-mail: shinji.mega23@gmail.com

KOREA

COMET BICYCLE CO. LTD.

Tel: +82 31 795 8357

E-mail: hckim@cometbicycle.com

Website: www.cometbicycle.com

MEXICO

BIKEXTORE

Tel: +52 442 325 76 83

E-Mail: hola@bikextore.com

Website: www.bikextore.com

RUSSIA

VELO TRADE LLC

TEL: +74957872233

info@velomasterskaya.ru

www.velostrana.ru

SCANDINAVIA

SKIFT GEAR

E-Mail: sales@skiftgear.com

Website: www.skiftgear.com

SINGAPORE

CRANKWORKZ PTE LTD

Tel: +65 96928387

E-mail: raychoi@crankworkz.com.sg

Website: www.facebook.com/crankworkz

SOUTH-AFRICA

OMNICO (PTY) LTD

Tel: 021 691 0100

E-mail: petri@omnico.co.za

Website: www.omnico.co.za

SWITZERLAND

TEKNO PARTS LTD

Tel: 0041 32 332 84 68

E-mail: info@teknoparts.ch

Website: www.teknoparts.ch

UK

UPGRADE BIKES LTD

Tel: 44(0)1403 711 611

E-mail: info@upgradebikes.co.uk

Website: www.upgradebikes.co.uk

USA

BTI

Tel: 800-558-8324

E-mail: info@bti-usa.com

Website: www.bti-usa.com

DOWNEAST BICYCLE SPECIALISTS

Tel: 1-800-242-1043

E-mail: parts@debike.com

Website: www.debike.com

GIANT BICYCLES USA

Tel: 1-805-267-4600

E-mail: info@giantbicycle.com

Website: www.giant-bicycles.com

HAN'S JOHNSON COMPANY

Tel: 800.879.1515

E-mail: sales@hjc.com

Website: www.hjc.com

HAWLEY, LLC

Tel: 800-822-1980

E-mail: sales@hawleyusa.com

Website: www.hawleyusa.com

J&B

Tel: 800-666-5000

E-mail: webinfo@jbi.bike

Website: www.jbi.bike

KHS BICYCLES

Tel: 310-632-7173

E-mail: sales@khsbicycles.com

Website: www.khsbicycles.com

QUALITY BICYCLE PRODUCTS

Tel: 1-888-988-8959

E-mail: customerservice@qbp.com

Website: www.qbp.com

SEATTLE BIKE SUPPLY

Tel: 800-283-2453

E-mail: sales@seattlebikesupply.com

Website: www.seattlebikesupply.com

WILSON BICYCLE SALES

Tel: 1-800-877-0077

E-mail: sales@wilsonbike.com

Website: www.wilsonbike.com

TRP/TEKTRO USA

Tel: 1-877-807-4162

Tel: 1-801-648-7079

E-mail: info@trpcycling.com

Website: www.trpcycling.com

Website: www.tektro-usa.com

NOTES

TODAY'S FACTS

#MBW

WorldCup



uci.org



UCI_MTB

WorldCup

#MBWorldCup





TRP

trpcycling.com